

GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT

I & CAD Dept.- APGS - Sri I Ramesh, NTPA., O/o the Superintending Engineer, Irrigation Circle, Guntur- Treating the gap period from 28.05.2013 FN to 29.12.2013 AN as compulsory wait – Orders – Issued.

=====

IRRIGATION & CAD (SER III) DEPARTMENT

G.O.RT.No. 615

Dated 29.09.2014.

Read:-

From the Engineer-in-Chief (AW), I & CAD Department, Hyderabad, Letter No. Rc /ENC/R 3 /14012061 /2014, dated 31.05.2014.

<00>

ORDER:-

In the circumstances reported by the Engineer-in-Chief (AW), I & CAD Department, Hyderabad in the reference read above and after careful examination of the matter, Government hereby order that the gap period from 28.5.2013 FN to 29.12.2013 AN shall be treated as compulsory wait in respect of Sri I. Ramesh, NTPA, O/o the Superintending Engineer, Irrigation Circle, Gunturu under F.R. provisions.

2. The Engineer-in-Chief (AW), I&CAD, Hyderabad shall take necessary action in the matter, accordingly.

3. This order issues with the concurrence of Finance (HRM IV FR) Department vide their U.O.Note No. 2206/163/HRM IV/FRs/2014, dated 18.9.2014.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ADITYANATH DAS  
PRINCIPAL SECRETARY TO GOVERNMENT

To  
The Engineer-in-Chief (AW), I & CAD Department, Jalasougha Hyderabad.  
SC/SF

// FORWARDED:BY ORDER//

SECTION OFFICER